



<https://cloudblue.com>

[Documentation](#)  [Developer Resources](#)  [Connect REST API](#)  [OpenAPI Specification](#) 

# Other API Specifications



This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at July 4, 2026



## Introduction

CloudBlue Connect® uses OpenAPI Specification as a primary API specification format. However, various tools (like Paw) were built over time to work with various different formats, like Swagger 2.0 and others. If you need to work with such tools, you can follow instructions in this article to convert our OpenAPI specification to different formats.

## Swagger 2.0 Format

Open LucyBot’s API Specification Converter and paste there URL of the CloudBlue Connect® OpenAPI 3.0 specification (<https://apispec.connect.cloudblue.com/connect-openapi30.yml>), specify the following settings:

The screenshot shows the 'API Spec Converter' web application. The browser address bar shows 'lucybot-inc.github.io/api-spec-converter/'. The page title is 'API Spec Converter'. There are two buttons: 'View on GitHub' and 'Tweet'. Below the title, there is a paragraph of text explaining the project's goal and supported formats. The 'Specification URL' field contains 'https://apispec.connect.cloudblue.com/connect-openapi30.yml'. The 'Source Format' dropdown is set to 'Open API 3.0' and the 'Destination Format' dropdown is set to 'Open API 2.0 (Swagger)'. A 'Convert!' button is visible at the bottom right.

- Source Format: Open API 3.0
- Destination Format: Open API 2.0 (Swagger)

And click “Convert!” button. The process will run for 30~40 seconds and you will see the following screen:



## API Spec Converter

[View on GitHub](#) [Tweet](#)

The goal of this project is to allow REST API developers to convert between different API definition formats. This prevents lock-in, and allows developers to take advantage of tools that only support particular formats.

Currently, we only support converting from various formats (e.g. RAML and WADL) to Open API 2.0 (fka Swagger). Open API 3.0 and API Blueprint are not supported in this web app, but are supported using the command line tool.

Our plan is to eventually support conversion between any two formats. If you'd like to contribute, you can check out the open source library on GitHub.

**Specification URL**

 [Examples](#)

**Source Format** **Destination Format**

Open API 3.0  [Convert!](#)

Converted to Open API 2.0 (Swagger). [Download](#)

```
{
  "info": {
    "title": "CludBlue Connect API",
    "version": "19.2",
    "description": "[CludBlue Connect](https://connect.cloudblue.com)\nis a cloud end-to-end supply automation platform",
  },
  "security": [
    {
      "ApiKeyAuth": []
    }
  ],
  "paths": {
    "/subscriptions/assets": {
      "get": {
```

You can now click “Download” and use the Swagger 2.0 API specification.