

[Documentation](#) → [Developer Resources](#) → [Connect REST API](#) →

REST API Clients



This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at July 16, 2024


REST API clients represent software applications and platforms that can be used to work with the Connect API. Download Open API specification for your client by using the following link:

Open API 3.0 compatible specification

Note that each client also requires operators to generate a token and to specify correct API endpoint as described below.

API Endpoint



Navigate to the **Integrations** module on the Connect platform and access your *API endpoint* via the **General** tab:




Specifying the correct API endpoint is essential for your REST API client configuration. Use the corresponding button on the interface to copy the endpoint.

Token Creation

Generating a token on the Connect platform and assigning permissions to your token is another important operation for working with the API. Proceed to the **Tokens** tab of the Integrations module to create a new token:





Select *Custom* extension to create a token for your REST API client. Specify required permissions for your token via the token creation wizard or by editing your token via the Token Details screen.

Once your new custom token is generated successfully, access the Token Details screen to copy your *API Key/ Handle* value. Thereafter, you can start working with your REST API client.



Configuration Instructions

Proceed to one of the following articles to access configuration guidelines and additional information on recommended REST API clients:

1. [Postman](#)
2. [Insomnia](#)
3. [Paw](#)