https://cloudblue.com

Class CategoryUsageFileResource

This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at November 17, 2026

© Ingram Micro, Inc. All Rights Reserved.

Classes

CategoryUsageFileResource ⇐ `GenericResource`

> The *CategoryUsageFileResource* class provides methods to access the *categor* objects for a usage file.

UsageFileResource ⇐ `GenericResource`

> The *UsageFileResource* class provides methods to access the usage file endpoint of the Cloud Blue Connect API.

CategoryUsageFileResource ⇐ `GenericResource`

The *CategoryUsageFileResource* class provides methods to access the *categor* objects for a usage file.

Kind: global class
Extends: `GenericResource`
Category: Resources

UsageFileResource ⇐ `GenericResource`

The *UsageFileResource* class provides methods to access the usage file endpoint of the Cloud Blue Connect API.

Kind: global class
Extends: `GenericResource`
Category: Resources

- UsageFileResource ⇐ `GenericResource`
  - new UsageFileResource(client)
  - .categories(id) ⇒ `CategoryUsageFileResource`
  - .accept(id, acceptanceNote) ⇒ `UsageFileResource`
  - .approveAll(id) ⇒ `UsageFileResource`
  - .close(id) ⇒ `UsageFileResource`
  - .delete(id) ⇒ `UsageFileResource`
  - .reprocess(id) ⇒ `UsageFileResource`
  - .submit(id) ⇒ `UsageFileResource`
  - .reconciliation(id, reconFile) ⇒ `UsageFileResource`

© Ingram Micro, Inc. All Rights Reserved.

- .reject(id, rejectionNote) ⇒ `UsageFileResource`
- .upload(id, usageFile) ⇒ `UsageFileResource`

new UsageFileResource(client)

Creates a new instance of the *UsageFileResource* class.

Returns: `UsageFileResource` – An instance of the *UsageFileResource* class.

Param	Type	Description
client	`ConnectClient`	An instance of the ConnectClient class.

usageFileResource.categories(id) ⇒ `CategoryUsageFileResource`

Returns an instance of the *CategoryUsageFileResource* for a *UsageFile*.

Kind: instance method of `UsageFileResource`
Returns: `CategoryUsageFileResource` – An instance of the *CategoryUsageFileResource* for the case.

Param	Type	Description
id	`string`	The unique identifier of the *UsageFile*.

usageFileResource.accept(id, acceptanceNote) ⇒ `UsageFileResource`

Accept *Usage File*.

Kind: instance method of `UsageFileResource`
Returns: `UsageFileResource` – An instance of the *UsageFileResource*.

Param	Type	Description
id	`string`	The unique identifier of the *Usage File*.
acceptanceNote	`string`	Acceptance Note

usageFileResource.approveAll(id) ⇒ `UsageFileResource`

Approve all *Usage File*.
Kind: instance method of `UsageFileResource`

© Ingram Micro, Inc. All Rights Reserved.

Returns: `UsageFileResource` – An instance of the *UsageFileResource*

Param	Type	Description
id	`string`	The unique identifier of the *Usage File*.

usageFileResource.close(id) ⇒ `UsageFileResource`

Close *Usage File*.

Kind: instance method of `UsageFileResource`
Returns: `UsageFileResource` – An instance of the *UsageFileResource*

Param	Type	Description
id	`string`	The unique identifier of the *Usage File*.

usageFileResource.delete(id) ⇒ `UsageFileResource`

Delete *Usage File*.

Kind: instance method of `UsageFileResource`
Returns: `UsageFileResource` – An instance of the *UsageFileResource*

Param	Type	Description
id	`string`	The unique identifier of the *Usage File*.

usageFileResource.reprocess(id) ⇒ `UsageFileResource`

Reprocess *Usage File*.

Kind: instance method of `UsageFileResource`
Returns: `UsageFileResource` – An instance of the *UsageFileResource*

Param	Type	Description
id	`string`	The unique identifier of the *Usage File*.

© Ingram Micro, Inc. All Rights Reserved.

usageFileResource.submit(id) ⇒ `UsageFileResource`

Submit *Usage File*.

Kind: instance method of `UsageFileResource`
Returns: `UsageFileResource` – An instance of the *UsageFileResource*

Param	Type	Description
id	`string`	The unique identifier of the *Usage File*.

usageFileResource.reconciliation(id, reconFile) ⇒ `UsageFileResource`

Reconciliation *Usage File*.

Kind: instance method of `UsageFileResource`
Returns: `UsageFileResource` – An instance of the *UsageFileResource*.

Param	Type	Description
id	`string`	The unique identifier of the *Usage File*.
reconFile	`binary`	Reconciliation binary file

usageFileResource.reject(id, rejectionNote) ⇒ `UsageFileResource`

Reject *Usage File*.

Kind: instance method of `UsageFileResource`
Returns: `UsageFileResource` – An instance of the *UsageFileResource*.

Param	Type	Description
id	`string`	The unique identifier of the *Usage File*.
rejectionNote	`text`	Rejection note

usageFileResource.upload(id, usageFile) ⇒ `UsageFileResource`

Upload *Usage File*.

Kind: instance method of `UsageFileResource`
Returns: `UsageFileResource` – An instance of the *UsageFileResource*.

© Ingram Micro, Inc. All Rights Reserved.

Param	Type	Description
id	`string`	The unique identifier of the *Usage File*.
usageFile	`binary`	File to upload

© Ingram Micro, Inc. All Rights Reserved.