https://cloudblue.com

Class ConnectClient

This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at November 12, 2026

© Ingram Micro, Inc. All Rights Reserved.

ConnectClient

ConnectClient provides access to resouce endpoints of the Cloud Blue Connect Platform.

Kind: global class
Category: Base

- ConnectClient
  - new ConnectClient(endpoint, apiKey, adapter)
  - .accounts : `AccountResource`
  - .assets : `AssetResource`
  - .billingRequests : `BillingRequestResource`
  - .conversations : `ConversationResource`
  - .products : `ProductResource`
  - .requests : `RequestResource`
  - .hubs : `HubResource`
  - .recurringAssets : `RecurringAssetResource`
  - .tierAccounts : `TierAccountResource`
  - .tierAccountRequests : `TierAccountRequestResource`
  - .tierConfigs : `TierConfigResource`
  - .tierConfigRequests : `TierConfigRequestResource`
  - .webhooks : `WebhookResource`
  - .listingRequests : `ListingRequestResource`
  - .cases : `CaseResource`

new ConnectClient(endpoint, apiKey, adapter)

Creates a new instance of the Cloud Blue *ConnectClient* class.
Configures the *beforeRequest* hooks to inject the API key in the Authorizaton header
and prefixes the url with the API's base url.

Returns: `ConnectClient` – An instance of the ConnectClient class.

Param	Type	Description
endpoint	`string`	The base URL for API access.
apiKey	`string`	The API key to authenticate with Connect.
adapter	`AbstractHttpAdapter`	An optional adapter.

connectClient.accounts : `AccountResource`

Returns an instance of the *AccountResource* class to access

© Ingram Micro, Inc. All Rights Reserved.

the *Account* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.assets : `AssetResource`

Returns an instance of the *AssetResource* class to access the *Asset* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.billingRequests : `BillingRequestResource`

Returns an instance of the *BillingRequestResource* class to access the *BillingRequest* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.conversations : `ConversationResource`

Returns an instance of the *ConversationResource* class to access the *Conversation* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.products : `ProductResource`

Returns an instance of the *ProductResource* class to access the *Product* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.requests : `RequestResource`

Returns an instance of the *RequestResource* class to access the *Request* resource endpoint.

Kind: instance property of `ConnectClient`

© Ingram Micro, Inc. All Rights Reserved.

connectClient.hubs : `HubResource`

Returns an instance of the *HubResource* class to access
the *Hub* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.recurringAssets : `RecurringAssetResource`

Returns an instance of the *RecurringAssetResource* class to access
the *RecurringAsset* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.tierAccounts : `TierAccountResource`

Returns an instance of the *TierAccountResource* class to access
the *TierAccount* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.tierAccountRequests : `TierAccountRequestResource`

Returns an instance of the *TierAccountRequestResource* class to access
the *TierAccountRequest* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.tierConfigs : `TierConfigResource`

Returns an instance of the *TierConfigResource* class to access
the *TierConfiguration* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.tierConfigRequests : `TierConfigRequestResource`

Returns an instance of the *TierConfigRequestResource* class to access
the *TierConfigurationRequest* resource endpoint.

© Ingram Micro, Inc. All Rights Reserved.

Kind: instance property of `ConnectClient`

connectClient.webhooks : `WebhookResource`

Returns an instance of the *WebhookResource* class to access the *Webhook* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.listingRequests : `ListingRequestResource`

Returns an instance of the *ListingRequestResource* class to access the *ListingRequest* resource endpoint.

Kind: instance property of `ConnectClient`

connectClient.cases : `CaseResource`

Returns an instance of the *CaseResource* class to access the *HelpdesCase* resource endpoint.

Kind: instance property of `ConnectClient`

© Ingram Micro, Inc. All Rights Reserved.