

[Documentation](#) → [Developer Resources](#) → [Connect SDK and Tools](#) → [Javascript SDK](#) →

Class GenericResource



This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at June 25, 2022

GenericResource

The *GenericResource* map a generic endpoint of the CloudBlue Connect API. Each API endpoint should extend this class and implements endpoint specific actions and subresources access.

Kind: global class

Category: Resources

- GenericResource
 - new GenericResource(client, baseUri)
 - .baseUri : string
 - .get(id) ⇒ object
 - .create(obj) ⇒ object
 - .update(id, obj) ⇒ object
 - .delete(id)
 - .search(filters) ⇒ Array
 - .fetch(url, options)

new GenericResource(client, baseUri)

Param	Type	Description
client	ConnectClient	A <i>ConnectClient</i> instance.
baseUri	string	The base URI of the resource

genericResource.baseUri : string

Returns the base URI of the resource mapped by this class.

Kind: instance property of *GenericResource*

genericResource.get(id) ⇒ object

Retrieve a resource by its unique identifier.

Kind: instance method of *GenericResource*

Returns: object - The resource.

Param	Type	Description
id	string	The unique identifier of the resource to retrieve.

genericResource.create(obj) ⇒ object

Create a new resource.

Kind: instance method of `GenericResource`

Returns: `object` - The created resource.

Param	Type	Description
obj	object	The resource to create.

genericResource.update(id, obj) ⇒ object

Update a resource.

Kind: instance method of `GenericResource`

Returns: `object` - The updated resource.

Param	Type	Description
id	string	The unique identifier of the resource to update.
obj	object	The eventually partial resource to update.

genericResource.delete(id)

Delete a resource.

Kind: instance method of `GenericResource`

Param	Type	Description
id	string	The unique identifier of the resource to delete.

genericResource.search(filters) ⇒ Array

Search for a resource.

Kind: instance method of `GenericResource`

Returns: `Array` - An array of resources that match the provided filters.

Param	Type	Description
filters	object	The query to send to the server as a RQL object.

genericResource.fetch(url, options)

Fetch the URL and returns a response.

Kind: instance method of `GenericResource`

Param	Type	Description
url	string	the URL to fetch.
options	object	the request options.