

[Documentation](#) → [Developer Resources](#) → [Connect SDK and Tools](#) → [Javascript SDK](#) →

# Class `HttpError`



This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at December 5, 2023

## Classes

HttpError  $\leftarrow$  Error

HttpError wraps any http response which status is  $\neq$  2xx.

APIError  $\leftarrow$  HttpError

APIError wraps CloudBlue Connect API errors.  
Provides convenient methods to obtains error code and error messages.  
The Cloud Blue Connect JSON error looks like:

### HttpError $\leftarrow$ Error

HttpError wraps any http response which status is  $\neq$  2xx.

**Kind:** global class

**Extends:** Error

**Category:** Base

- HttpError  $\leftarrow$  Error
  - new HttpError(status, message)
  - .status : number

### new HttpError(status, message)

Create a new instance of the HttpError class.

	Param	Type	Description
	status	number	the http status code.
	message	string	an error message.

### httpError.status : number

The http status code.

**Kind:** instance property of HttpError

## APIError ← HttpError

APIError wraps CloudBlue Connect API errors. Provides convenient methods to obtains error code and error messages.

The Cloud Blue Connect JSON error looks like:

**Kind:** global class

**Extends:** HttpError

**Category:** Base

- APIError ← HttpError
  - new APIError(status, message)
  - .json ⇒ object
  - .errorCode ⇒ string
  - .errors ⇒ Array
  - .status : number

### new APIError(status, message)

Create a new instance of the APIError class.

Param	Type	Description
status	number	the http status code.
message	string	A JSON parseable object.

### Example

```
{
  "error_code": "SYS_001",
  "errors": [
    "error message 1"
  ]
}
```

### apiError.json ⇒ object

Returns the JSON error object.

**Kind:** instance property of APIError

**Returns:** object - The error object.

**apiError.errorCode** ⇒ string

Returns the error code.

**Kind:** instance property of APIError

**Returns:** string - The error code.

**apiError.errors** ⇒ Array

Returns an array of error messages.

**Kind:** instance property of APIError

**Returns:** Array - The error messages.

**apiError.status** : number

The http status code.

**Kind:** instance property of APIError

**Overrides:** status