

[Documentation](#) → [Developer Resources](#) → [Connect SDK and Tools](#) → [Javascript SDK](#) →

Class `HttpError`



This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at July 16, 2024

Classes

`HttpError` \leftarrow `Error`

`HttpError` wraps any http response which status is \neq 2xx.

`APIError` \leftarrow `HttpError`

`APIError` wraps CloudBlue Connect API errors.
Provides convenient methods to obtains error code and error messages.
The Cloud Blue Connect JSON error looks like:

`HttpError` \leftarrow `Error`

`HttpError` wraps any http response which status is \neq 2xx.

Kind: global class

Extends: `Error`

Category: Base

- `HttpError` \leftarrow `Error`
 - `new HttpError(status, message)`
 - `.status` : number

`new HttpError(status, message)`

Create a new instance of the `HttpError` class.

	Param	Type	Description
	<code>status</code>	number	the http status code.
	<code>message</code>	string	an error message.

`httpError.status` : number

The http status code.

Kind: instance property of `HttpError`

APIError ← HttpError

APIError wraps CloudBlue Connect API errors. Provides convenient methods to obtains error code and error messages.

The Cloud Blue Connect JSON error looks like:

Kind: global class

Extends: HttpError

Category: Base

- APIError ← HttpError
 - new APIError(status, message)
 - .json ⇒ object
 - .errorCode ⇒ string
 - .errors ⇒ Array
 - .status : number

new APIError(status, message)

Create a new instance of the APIError class.

Param	Type	Description
status	number	the http status code.
message	string	A JSON parseable object.

Example

```
{
  "error_code": "SYS_001",
  "errors": [
    "error message 1"
  ]
}
```

apiError.json ⇒ object

Returns the JSON error object.

Kind: instance property of APIError

Returns: object - The error object.

apiError.errorCode ⇒ string

Returns the error code.

Kind: instance property of APIError

Returns: string - The error code.

apiError.errors ⇒ Array

Returns an array of error messages.

Kind: instance property of APIError

Returns: Array - The error messages.

apiError.status : number

The http status code.

Kind: instance property of APIError

Overrides: status