



<https://cloudblue.com>

[Documentation](#) [Developer Resources](#) [Connect SDK and Tools](#) [Javascript SDK](#)

Class Listings



This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at June 2, 2025



Listings

The Listings class exposes specialized methods to help developers to handle listings and listing requests.

Kind: global class
Category: Operations

- Listings
 - new Listings(client)
 - .searchListingRequests(query) ⇒ Array
 - .createListingRequest(request) ⇒ object
 - .getListingRequest(id) ⇒ object
 - .submitListingRequest(id) ⇒ object
 - .cancelListingRequest(id) ⇒ object
 - .refineListingRequest(id) ⇒ object
 - .completeListingRequest(id) ⇒ object
 - .deployListingRequest(id) ⇒ object

new Listings(client)

Creates an instance of the Listings class.

Returns: Listings - An instance of the Listings class.

Param	Type	Description
client	ConnectClient	An instance of the ConnectClient class.

listings.searchListingRequests(query) ⇒ Array

Returns a list of *ListingRequest* objects that match the provided (optional) query.

Kind: instance method of Listings
Returns: Array - An array of *ListingRequest* object optionally matching the provided query.

Param	Type	Description
query	object	The optional query to filter results.



listings.createListingRequest(request) ⇒ object

Creates a new *ListingRequest*

Kind: instance method of *Listings*

Returns: object – The created *ListingRequest* object.

Param	Type	Description
request	object	The <i>ListingRequest</i> object.

listings.getListingRequest(id) ⇒ object

Retrieve the *ListingRequest* object identified by its id.

Kind: instance method of *Listings*

Returns: object – The *ListingRequest* object.

Param	Type	Description
id	string	The unique identifier of the <i>ListingRequest</i> object.

listings.submitListingRequest(id) ⇒ object

Submit the *ListingRequest* object identified by its id.

Kind: instance method of *Listings*

Returns: object – The *ListingRequest* object.

Param	Type	Description
id	string	The unique identifier of the <i>ListingRequest</i> object.

listings.cancelListingRequest(id) ⇒ object

Cancel the *ListingRequest* object identified by its id.

Kind: instance method of *Listings*

Returns: object – The *ListingRequest* object.



Param	Type	Description
id	string	The unique identifier of the <i>ListingRequest</i> object.

listings.refineListingRequest(id) ⇒ object

Refine the *ListingRequest* object identified by its id.

Kind: instance method of *Listings*

Returns: object – The *ListingRequest* object.

Param	Type	Description
id	string	The unique identifier of the <i>ListingRequest</i> object.

listings.completeListingRequest(id) ⇒ object

Complete the *ListingRequest* object identified by its id.

Kind: instance method of *Listings*

Returns: object – The *ListingRequest* object.

Param	Type	Description
id	string	The unique identifier of the <i>ListingRequest</i> object.

listings.deployListingRequest(id) ⇒ object

Deploy the *ListingRequest* object identified by its id.

Kind: instance method of *Listings*

Returns: object – The *ListingRequest* object.

Param	Type	Description
id	string	The unique identifier of the <i>ListingRequest</i> object.