https://cloudblue.com

Class Listings

This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at August 31, 2025

© Ingram Micro, Inc. All Rights Reserved.

Listings

The Listings class exposes specialized methods to help developers to handle listings and listing requests.

Kind: global class
Category: Operations

- Listings
  - new Listings(client)
  - .searchListingRequests(query) ⇒ `Array`
  - .createListingRequest(request) ⇒ `object`
  - .getListingRequest(id) ⇒ `object`
  - .submitListingRequest(id) ⇒ `object`
  - .cancelListingRequest(id) ⇒ `object`
  - .refineListingRequest(id) ⇒ `object`
  - .completeListingRequest(id) ⇒ `object`
  - .deployListingRequest(id) ⇒ `object`

new Listings(client)

Creates an instance of the Listings class.

Returns: `Listings` – An instance of the Listings class.

Param	Type	Description
client	`ConnectClient`	An instance of the ConnectClient class.

listings.searchListingRequests(query) ⇒ `Array`

Returns a list of *ListingRequest* objects that match the provided (optional) query.

Kind: instance method of `Listings`
Returns: `Array` – An array of *ListingRequest* object optionally matching the provided query.

Param	Type	Description
query	`object`	The optional query to filter results.

© Ingram Micro, Inc. All Rights Reserved.

listings.createListingRequest(request) ⇒ `object`

Creates a new *ListingRequest*

Kind: instance method of `Listings`
Returns: `object` – The created ListingRequest object.

Param	Type	Description
request	`object`	The ListingRequest object.

listings.getListingRequest(id) ⇒ `object`

Retrieve the *ListingRequest* object identified by its id.

Kind: instance method of `Listings`
Returns: `object` – The *ListingRequest* object.

Param	Type	Description
id	`string`	The unique identifier of the *ListingRequest* object.

listings.submitListingRequest(id) ⇒ `object`

Submit the *ListingRequest* object identified by its id.

Kind: instance method of `Listings`
Returns: `object` – The *ListingRequest* object.

Param	Type	Description
id	`string`	The unique identifier of the *ListingRequest* object.

listings.cancelListingRequest(id) ⇒ `object`

Cancel the *ListingRequest* object identified by its id.

Kind: instance method of `Listings`
Returns: `object` – The *ListingRequest* object.

© Ingram Micro, Inc. All Rights Reserved.

Param	Type	Description
id	`string`	The unique identifier of the *ListingRequest* object.

listings.refineListingRequest(id) ⇒ `object`

Refine the *ListingRequest* object identified by its id.

Kind: instance method of `Listings`
Returns: `object` – The *ListingRequest* object.

Param	Type	Description
id	`string`	The unique identifier of the *ListingRequest* object.

listings.completeListingRequest(id) ⇒ `object`

Complete the *ListingRequest* object identified by its id.

Kind: instance method of `Listings`
Returns: `object` – The *ListingRequest* object.

Param	Type	Description
id	`string`	The unique identifier of the *ListingRequest* object.

listings.deployListingRequest(id) ⇒ `object`

Deploy the *ListingRequest* object identified by its id.

Kind: instance method of `Listings`
Returns: `object` – The *ListingRequest* object.

Param	Type	Description
id	`string`	The unique identifier of the *ListingRequest* object.

© Ingram Micro, Inc. All Rights Reserved.