



<https://cloudblue.com>

[Documentation](#)  [Developer Resources](#)  [Connect SDK and Tools](#)  [Javascript SDK](#) 

# Class UsageRecordResource



This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at April 14, 2026



## UsageRecordResource $\leftarrow$ GenericResource

The *UsageFileResource* class provides methods to access the usage file endpoint of the Cloud Blue Connect API.

**Kind:** global class

**Extends:** GenericResource

**Category:** Resources

- UsageRecordResource  $\leftarrow$  GenericResource
  - new UsageRecordResource(client)
  - .close(id, externalBillingId, externalBillingNote)  $\Rightarrow$  UsageChunkResource
  - .closeRecords(id, recordId, externalBillingId, externalBillingNote)  $\Rightarrow$  UsageChunkResource

### new UsageRecordResource(client)

Creates a new instance of the *UsageRecordResource* class.

**Returns:** UsageRecordResource - An instance of the *UsageFileResource* class.

Param	Type	Description
client	ConnectClient	An instance of the ConnectClient class.

### usageRecordResource.close(id, externalBillingId, externalBillingNote) $\Rightarrow$ UsageChunkResource

Close all *Record File*.

**Kind:** instance method of UsageRecordResource

**Returns:** UsageChunkResource - An instance of the *UsageChunkResource*.

Param	Type	Description
id	string	The unique identifier of the <i>Usage File</i> .
externalBillingId	string	Id of the billing to close record
externalBillingNote	string	Note of the billing to close record

### usageRecordResource.closeRecords(id, recordId, externalBillingId, externalBillingNote) $\Rightarrow$ UsageChunkResource

Close Records *Record File*.



**Kind:** instance method of UsageRecordResource

**Returns:** UsageChunkResource - An instance of the *UsageChunkResource*.

	<b>Param</b>	<b>Type</b>	<b>Description</b>
	id	string	The unique identifier of the <i>Usage File</i> .
	recordId	string	Id of the record to close
	externalBillingId	string	Id of the billing to close record
	externalBillingNote	string	Note of the billing to close record