



<https://cloudblue.com>

[Documentation](#)  [Modules](#)  [Account Settings](#)  [Single Sign-On](#) 

# Azure Active Directory



This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at February 12, 2026



Azure Active Directory represents an Identity and Access Management as a service (IDaaS) solution that can be used as your Single Sign-On domain on the CloudBlue Connect platform.

The following provides instructions on how to deploy your configured Azure Active Directory on the Connect platform. The guidelines below also showcase how to create a new Active Directory on the Microsoft Azure portal, how to successfully configure your Azure enterprise application, and more.

## Active Directory Creation

Create your Azure Active Directory via the Microsoft Azure Portal as described below. Skip to Connect Domain Verification in case your Active Directory and custom domain are already configured on the Microsoft Azure portal.

By creating an Active Directory, the Microsoft Azure portal requires you to specify your tenant details. A tenant represents an organization and dedicated instance of Azure AD. The following steps showcase how to successfully create a new Azure Active Directory and configure your new tenant:



Step 1



Step 2



Step 3



Step 4



Step 5



Step 6

1. Click the **Create New Resource** button from the **Microsoft Azure** portal.
2. Locate *Azure Active Directory* from the provided list.



3. Click the **Create** button once Azure Active Directory is located successfully.
4. The portal prompts you to select a tenant type. Specify your required type and click **Next: Configuration** to continue.
5. Specify your organization name, initial domain name, and country/region in the following **Configuration** form. Click **Next: Review + create** to continue.
6. Once your configured tenant validation is passed, click the **Create** button to finalize your Active Directory creation.

Therefore, the Azure portal starts to process your tenant configuration. In case this processing is successfully complete, the Azure portal allows you to access your created Active Directory.

## Azure Custom Domain

Verify your domain name within your Azure Active Directory. Skip to Connect Domain Verification in case your custom domain is already configured on the Microsoft Azure portal.

Follow the steps below to add your custom domain to your Azure Active Directory and successfully verify it.



Step 1



Step 2



Step 3 & 4

1. Access the **Custom Domain Names** section from the left-hand panel of your created Azure Active Domain.
2. Click the **Add custom domain** button to specify your domain name.
3. Enter your domain to the appeared form and click the **Add domain** button.
4. The Azure portal prompts you to specify create a new TXT record with your domain name registrar using the provided information. Click **Verify** once your TXT with required information is successfully created.

As a result, the Azure portal starts to process your domain configuration. If this processing is complete, the Azure portal will successfully verify your added domain.


## Connect Domain Verification

Create a domain on the CloudBlue Connect platform. Once your domain instance is created, Connect prompts users to create a



domain verification record via the domain details screen.

Create an Azure Active Directory record set with required data as follows:




The screenshot shows the CloudBlue interface. On the left is a sidebar with 'Settings' and various options like General, Users, Groups, etc. The main area is titled 'Domain details' and shows information for 'frontstreetinc.onmicrosoft.com'. A section titled 'Domain Verification Record' is highlighted with an orange border. It contains a table with the following data:

NAME	TYPE	VALUE
cloudblue.frontstreetinc.onmicrosoft.com	TXT	connect=a670a22b10401752bb63ad1bc7dc502b3



Step 1




The screenshot shows the Microsoft Azure portal interface for a DNS zone named 'frontstreetinc.com'. The 'Record set' button is highlighted with an orange border. Below it, a table lists existing record sets:


Name	Type	TTL	Value	Alias resource type	Alias target
@	NS				...
@	SOA				...



Step 2



Step 3 & 4



Step 5

1. Copy your provided domain and value from the **Domain Settings** tab on Connect.
2. Create a new **Record Set** within the DNS zone section on the Microsoft Azure portal.



3. Paste your copied domain and value to the appeared form. Note that it is also necessary to specify a record type as displayed within *Domain Settings* on Connect.
4. Click **OK** to save your record configurations.
5. Verify your domain on the Connect platform by clicking the **Verify** button at the top right corner of your domain details screen.

Thus, the system should successfully verify your domain instance on the Connect platform. Note, however, that sometimes DNS changes can take a while to appear. Please wait a few hours, then reopen your domain instance and try to verify it again. In case the verification operation keeps failing, try to add a different DNS TXT record and make sure that all provided values are correct.




### One Domain & Multiple Accounts


In case you have the same domain for two different Connect accounts (e.g., one domain for Vendors and Distributors), it is required to add two DNS records for each domain instance on the Connect platform.

## Enterprise Application


In case your Active Directory is successfully configured and your domain is successfully on the Connect platform, it is necessary to define your single sign-on system via the *Enterprise applications* section on the Microsoft Azure portal and upload your Connect *Service Provider* metadata and certificate files to the Azure portal. The following instructions showcase how to perform the aforementioned operations:




Step 1




Step 2



Step 3




Step 4




Step 5







Step 6



Step 7



Step 8



Step 9

1. Access the **Enterprise applications** section from your created Azure Active Directory.
2. Click the **Create your own application** button under *Browse Azure AD Gallery*.




3. Enter your application name and select the **Integrate any other application you don't find in the gallery (Non-gallery)** radio option. Thereafter, click **Create** to create your enterprise application.
4. Access the **Single Sign-on** section of your created enterprise application once the system successfully processes your app.
5. Select the **SAML** option as your *Single Sign-On method*.
6. Click the **Upload metadata file** button to upload your Service Provider metadata file. Access the SP metadata file via the SAML settings tab from your verified domain on the Connect platform.
7. Once your metadata file is uploaded to the Microsoft Azure portal, click the **Save** button to save your provided metadata.
8. Access the **Token Encryption** section and click **Import Certificate** to upload your Connect certificate. Download this certificate via the SAML settings tab from your verified domain on the Connect platform. Note that Microsoft Azure requires you to get a Azure AD Premium P2 license in order to access this section.
9. Once your certificate is uploaded, activate this certificate by accessing the ellipsis (...) menu and clicking **Activate token encryption** within the Token Encryption section.

Therefore, your SSO system and the assertion encryption will be successfully configured on the Microsoft Azure portal. Note, however, that Azure's token encryption usually takes from 5 to 10 minutes to start working. Don't close your created Azure application just yet. It is required for the Connect SAML configuration as described below.

## Connect SAML Configuration

If your created application and the assertion encryption is successfully configured on the Azure portal, it is necessary to configure *Identity Provider Details* and *User Management* attributes within your verified domain on the CloudBlue Connect platform. In addition, you can switch the SAML authentication mode of your domain to test out your configured single sign-on system. Note that in order to enable this mode at least one user should be added to the *Exclusions* list. The following steps showcase how to successfully perform all of the aforementioned operations:



Step 1



Microsoft Azure Search resources, services, and docs (G+)

Home > Tutorial SSO App > Tutorial SSO App | SAML-based Sign-on

Enterprise Application

Properties Owners Roles and administrators (Pre...) Users and groups Single sign-on Provisioning Application proxy Self-service Security Conditional Access Permissions Token encryption Activity Sign-ins Usage & insights Audit logs Provisioning logs Access reviews

Upload metadata file Change single sign-on mode Test this application Got feedback?

2 User Attributes & Claims Edit

givenname	user.givenname
surname	user.surname
emailaddress	user.mail
name	user.userprincipalname
Unique User Identifier	user.userprincipalname

3 SAML Signing Certificate Edit

Status	Active
Thumbprint	
Expiration	
Notification Email	
App Federation Metadata Url	
Certificate (Base64)	Download
Certificate (Raw)	Download
Federation Metadata XML	Download

4 Set up Tutorial SSO App

You'll need to configure the application to link with Azure AD.

Step 2

Microsoft Azure Search resources, services, and docs (G+)

Home > Tutorial SSO App > SAML-based Sign-on > User Attributes & Claims

+ Add new claim + Add a group claim Columns

Required claim

Claim name	Value
Unique User Identifier (Name ID)	user.userprincipalname [nameid-for-...]

Additional claims

Claim name	Value
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/emailaddress	user.mail
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/givenname	user.givenname
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name	user.userprincipalname
http://schemas.xmlsoap.org/ws/2005/05/identity/claims/surname	user.surname

Step 3



CloudBlue

Settings

General

Users

Groups

Contacts

Links

Service terms

Helpdesk

Notifications

Reports

Single Sign On

Audit Trail

Domain Details

VERIFY

CHANGE DEFAULT AUTH MODE

Domain

Status

Default Auth Mode

cloudblue.com

Verified

Built-In

DOM-863-428

DOMAIN SETTINGS

SAML SETTINGS

EXCLUSIONS LIST

DETAILS

Service Provider Details

Entity ID

https://connect.cloudblue.com/saml/IDP-391-324-781/metadata

Single Sign On Service URL

https://connect.cloudblue.com/saml/IDP-391-324-781/login

Binding: HTTP-POST • Assertions: signed and encrypted

Single Logout Service URL

https://connect.cloudblue.com/saml/IDP-391-324-781/logout

Binding: HTTP-Redirect

SP Certificate File

sp\_cert.cer

SP Metadata File

sp\_metadata.xml

Identity Provider Details

ID

—

Issuer (Entity ID)

—

Single Sign On Service URL

—

Single Logout Service URL

—

IDP Certificate File

—

EDIT

Upload Federation Metadata XML

Step 4

CloudBlue

Settings

General

Users

Groups

Contacts

Links

Service terms

Helpdesk

Notifications

Reports

Single Sign On

Domain Details

VERIFY

CHANGE DEFAULT AUTH MODE

Domain

Status

Default Auth Mode

cloudblue.com

Verified

Built-In

DOM-863-428

DOMAIN SETTINGS

SAML SETTINGS

EXCLUSIONS LIST

DETAILS

Users Management

Configure mapping between external users using SAML assertion attributes.

USER ATTRIBUTE

SAML ATTRIBUTE NAME

External ID

Unique identifier of a user in the IDP

http://schemas.xmlsoap.org/ws/2005/05/identity/claims/givenname

Email

Unique immutable email of a user

http://schemas.xmlsoap.org/ws/2005/05/identity/claims/emailaddress

Full Name (optional)

Non-unique full name of a user

http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name

Password Management Notice

Your password is managed externally, please visit https://example.com to change your password or contact your support team.

Step 5



CloudBlue

Settings

HELP

Mighty Mick's LLC  
Distributor - Robert Balboa

General

Users

Groups

Contacts

Links

Service terms

Helpdesk

Notifications

Reports

Single Sign On

Domain Details

VERIFY

CHANGE DEFAULT AUTH MODE

Domain

Status

Default Auth Mode

cloudblue.com

Verified

Built-In

DOM-863-428

DOMAIN SETTINGS

SAML SETTINGS

EXCLUSIONS LIST

DETAILS

The following list of users will use the specified authentication mode, regardless of the domain defaults.

REFRESH

ADD

USER	EMAIL	AUTH MODE
Christopher Hicks USR-3473-9325	terra.hamilton@example.com A05F0C06-9C58-11EB-A8B3-0242AC130003	Built-in
Frank Bowen USR-9127-4885	anthony.hoffman@cloudblue.com A05F0F46-9C58-11EB-A8B3-0242AC130003	SAML

Rows per page 10 1-2 of 2



Step 6

CloudBlue

Settings

HELP

Mighty Mick's LLC  
Distributor - Robert Balboa

General

Users

Groups

Contacts

Links

Service terms

Helpdesk

Notifications

Reports

Single Sign On

Audit Trail

Domain Details

VERIFY

CHANGE DEFAULT AUTH MODE

Domain

Status

Default Auth Mode

cloudblue.com

Verified

Built-In

DOM-863-428

DOMAIN SETTINGS

SAML SETTINGS

EXCLUSIONS LIST

DETAILS

The following list of users will use the specified authentication mode, regardless of the domain defaults.

REFRESH

ADD

USER	EMAIL	AUTH MODE
Christopher Hicks USR-3473-9325	terra.hamilton@example.com A05F0C06-9C58-11EB-A8B3-0242AC130003	Built-in
Frank Bowen USR-9127-4885	anthony.hoffman@cloudblue.com A05F0F46-9C58-11EB-A8B3-0242AC130003	SAML

Rows per page 10 1-2 of 2



Step 7

1. Access the **Single Sign-on** section from your configured Azure application. Thereafter, download the **Federation Metadata XML** under *SAML Signing Certificate*.



2. Scroll up to the *User Attributes & Claims* section and click the **Edit** button to access required user management attributes.
3. Copy the Azure claim names under *Additional Claims*. Namely, it is required to copy the following claim names:  
Email: `http://schemas.xmlsoap.org/ws/2005/05/identity/claims/emailaddress`  
External ID: `http://schemas.xmlsoap.org/ws/2005/05/identity/claims/givenname`  
Full Name: `http://schemas.xmlsoap.org/ws/2005/05/identity/claims/name`
4. Access the SALM Settings tab from your verified domain on Connect. Click the **Edit** button next to *Identity Provider Details* and upload your exported **Federation Metadata XML** to the corresponding form.
5. Locate the *User Management* section of the SAML Settings tab and provide the copied claim names as **SAML Attribute Names**.
6. Access the **Exclusions List** tab of your Connect domain. Click the **Add** button to specify at least one user with the *built-in* authentication mode.
7. Click **Change Default Auth Mode** at the top-right corner of your domain details screen. The appeared wizard will help you switch the default mode to the *SAML* authorization mode.

By completing the provided instruction, your Connect domain will be successfully configured for single sign-on authorization via the Azure Active Directory. Therefore, you can add users to your authorization system and test out as described below.

## Adding Users and Test Authorization


Once your single sign-on system will be successfully configured, you can create a new user on Connect and add this user to your Azure Active Directory as well as your to your configured application. Therefore, you can test out your configured SAML authorization. Follow the steps below to add a new user and test your single sign-on system:

The screenshot shows the CloudBlue 'Users' management page. The sidebar on the left includes 'Settings' and 'Users' (selected). The main content area shows a table of users. A single user, Robert Balboa, is listed with email rbalboa@frontstreet.com and AUTH MODE Built-in. A '+ ADD USER' button is highlighted in the top right corner.


NAME	EMAIL	AUTH MODE	JOINED AT	LAST SIGN IN
Robert Balboa UR-920-297-557	rbalboa@frontstreet.com	Built-in	07/06/2021 7:52 AM	07/06/2021 7:52 AM



Step 1



Step 1



Step 2





Microsoft Azure Search resources, services, and docs (G+)

Home > Front Street Inc > Users >

## New user

Front Street Inc

Got feedback?

☒ **Create user**

Create a new user in your organization. This user will have a user name like `alice@frontstreetinc.onmicrosoft.com`. I want to create users in bulk.

☐ **Invite user**

Invite a new guest user to collaborate with your organization. The user will be emailed an invitation they can accept in order to begin collaborating. I want to invite guest users in bulk.

Help me decide

**Identity**

User name \*  @

The domain name I need isn't shown here

Name \*

First name

Last name

**Create**

### Step 2

Microsoft Azure Search resources, services, and docs (G+)

Home > Front Street Inc > Enterprise applications > Tutorial SSO App

## Tutorial SSO App | Users and groups

Enterprise Application


**+ Add user/group** Edit Remove Update Credentials Columns Got feedback?

The application will appear for assigned users within My Apps. Set 'visible to users?' to no in properties to prevent this. →


First 200 shown, to search all users & groups, enter a display name.

Display Name	Object Type	Role assigned
--------------	-------------	---------------


### Step 3




Step 4



Step 5



Step 6



Step 6



Step 7



Step 7

1. Access the **Users** section of the Account module on the Connect platform. Click **Add User** to launch the wizard and create your test user on Connect.



2. Proceed to the **Users** section from your configured **Azure Active Directory**. Click the **New User** button to add your test user with same credentials.
3. Navigate to the **Users and Groups** section from your configured *Enterprise Application*. Click the **Add user/group** to add your configured user.
4. Click on *Users and Groups* from the provided form. Thereafter, choose your user from the list and click the **Select** button.
5. Click **Assign** to successfully assign your selected user to your application.
6. Access the **Single Sign-on** section and click the Test button in case you want to test your SAML configuration. Sign in as your current user or test your application as someone else.
7. Finally, use your created user's credentials to sign into your Connect domain.

In case your single-sign on authorization system is configured correctly, the Connect platform will allow you to sign into your domain by using your specified credentials.