

[Documentation](#) →



This article has been generated from the online version of the documentation and might be out of date. Please, make sure to always refer to the online version of the documentation for the up-to-date information.

Auto-generated at March 29, 2024

Classes

MessageResource \Leftarrow GenericResource

The *MessageResources* class provides methods to access the *attachment* objects for a case.

ConversationResource \Leftarrow GenericResource

The *ConversationResource* class provides methods to access the conversations endpoint of the Cloud Blue Connect API.

MessageResource \Leftarrow GenericResource

The *MessageResources* class provides methods to access the *attachment* objects for a case.

Kind: global class

Extends: GenericResource

Category: Resources

ConversationResource \Leftarrow GenericResource

The *ConversationResource* class provides methods to access the conversations endpoint of the Cloud Blue Connect API.

Kind: global class

Extends: GenericResource

Category: Resources

- ConversationResource \Leftarrow GenericResource
 - new ConversationResource(client)
 - .messages(id) \Rightarrow CaseCommentsResource
 - .getConversationsByObjectId(id) \Rightarrow Array
 - .createMessage(id, msg) \Rightarrow object

new ConversationResource(client)

Creates a new instance of the *ConversationResource* class.

Returns: *ConversationResource* – An instance of the *ConversationResource* class.

Param	Type	Description
client	<i>ConnectClient</i>	An instance of the <i>ConnectClient</i> class.

conversationResource.messages(id) ⇒ *CaseCommentsResource*

Returns an instance of the *ConversationMessageResource* for a *Conversation*.

Kind: instance method of *ConversationResource*

Returns: *CaseCommentsResource* – An instance of the *ConversationMessageResource* for the case.

Param	Type	Description
id	string	The unique identifier of the <i>Conversation</i> .

conversationResource.getConversationsByObjectId(id) ⇒ Array

Returns a list of conversations attached to the business object specified by its id.

Kind: instance method of *ConversationResource*

Returns: Array – A list of conversations attached to a business object.

Param	Type	Description
id	string	The unique id of the business object attached to a conversation.

conversationResource.createMessage(id, msg) ⇒ object

Add a message to a *Conversation* object.

Kind: instance method of *ConversationResource*

Returns: object – The newly created *Message* object.

Param	Type	Description
id	string	The unique identifier of the <i>Conversation</i> object.
msg	string	The text of the message to post.